

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**


NAME: XTO ENERGY, INC
ADDRESS: 52260 WIK RD KENAI, AK 99611
FACILITY: EAST FORELANDS
LOCATION: 60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISCHARGE NUMBER

<input type="checkbox"/>	CHECK HERE IF NO DISCHARGE
--------------------------	----------------------------

MONITORING PERIOD							
FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2008	5	1		2008	5	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		Average (54-61)	Maximum (54-61)	Units (46-53)	Minimum (38-45)	Average (46-53)	Maximum (54-61)	Units			
015 - Produced Water FLOW	Sample Measurement	0.108465677	0.148806	MGD	***	***	***	***	0	Weekly	Estimate
	Permit Requirement	---	---		---	---	---	---	---	Weekly	Estimate
015 - Produced Water PRODUCED SAND	Sample Measurement	***	***	---	No discharge	No discharge	No discharge	---	0	---	---
	Permit Requirement	---	---		No discharge	No discharge	No discharge	---	---	---	---
015 - Produced Water OIL & GREASE	Sample Measurement	***	***	---	---	7.575	8.3	mg/l	0	Weekly	Grab
	Permit Requirement	---	---		---	23	42		---	Weekly	Grab
015 - Produced Water pH	Sample Measurement	***	***	---	6	---	7.4	SU	0	Monthly	Grab
	Permit Requirement	---	---		6	---	9		---	Monthly	Grab
015 - Produced Water TAH	Sample Measurement	***	***	---	---	16.059	16.059	mg/l	0	Monthly	Grab
	Permit Requirement	---	---		---	24	32		---	Monthly	Grab
015 - Produced Water TAqH	Sample Measurement	***	***	---	---	16.293	16.293	mg/l	0	Monthly	Grab
	Permit Requirement	---	---		---	Report	Report		---	Monthly	Grab
015 - Produced Water TOTAL AMMONIA	Sample Measurement	***	***	---	3.6	3.6	3.6	mg/l	0	Quarterly	Grab
	Permit Requirement	---	---		Report	---	Report		---	Quarterly	Grab

NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 Signature	Telephone	Date (YR/MO/DAY)
			907 776-2510	6/17/2008

COMMENTS & EXPLANATION OF ANY VIOLATIONS: 2nd quarter WET testing results shown. Tests completed April-08. **2nd Quarter Amonia sample taken 5/27/08 - Reported on this DMR

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**


NAME: XTO ENERGY, INC
ADDRESS: 52260 WIK RD
KENAI, AK 99611
FACILITY: EAST FORELANDS
LOCATION: 60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISCHARGE NUMBER

☐ CHECK HERE IF NO DISCHARGE

MONITORING PERIOD

FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2008	5	1		2008	5	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		Average (54-61)	Maximum	Units	Minimum (38-45)	Average (46-53)	Maximum (54-61)	Units			
015 - Produced Water COPPER	Sample Measurement	***	***	***	***	5.65	5.65	ug/l	0	Monthly	Grab
	Permit Requirement	---	---	---	---	60	90	ug/l	---	Monthly	Grab
015 - Produced Water MERCURY	Sample Measurement	***	***	***	***	0	0	ug/l	0	Monthly	Grab
	Permit Requirement	---	---	---	---	0.5	0.8	ug/l	---	Monthly	Grab
015 - Produced Water MANGANESE	Sample Measurement	***	***	***	***	1.64	1.64	mg/l	0	Monthly	Grab
	Permit Requirement	---	---	---	---	7.0	12.0	mg/l	---	Monthly	Grab
015 - Produced Water SILVER	Sample Measurement	***	***	***	***	0.00	0	ug/l	0	Monthly	Grab
	Permit Requirement	---	---	---	---	46	143	ug/l	---	Monthly	Grab
015 - Produced Water ZINC	Sample Measurement	***	***	***	***	0.233	0.233	mg/l	0	Monthly	Grab
	Permit Requirement	---	---	---	---	3	6	mg/l	---	Monthly	Grab
015 - Produced Water WET - <i>Mytilus galloprovincialis</i> (invertebrate)	Sample Measurement	***	***	***	***	<625	<626	TUc	0	Quarterly	Grab
	Permit Requirement	---	---	---	---	1203	2425	TUc	---	Quarterly	Grab
NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.								Telephone	Date (YR/MO/DAY)	
Ryan Tunseth HSE&T Coordinator									 Signature	907 776-2510	6/17/2008

COMMENTS & EXPLANATION OF ANY VIOLATIONS: 2nd quarter WET testing results shown. Tests completed April-08. **2nd Quarter Amonia sample taken 5/27/08 - Reported on this DMR

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**

NAME: XTO ENERGY, INC
ADDRESS: 52260 WIK RD KENAI, AK 99611
FACILITY: EAST FORELANDS
LOCATION: 60° 31' 10" N; 151° 20' 31" W


(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISCHARGE NUMBER

<input type="checkbox"/>	CHECK HERE IF NO DISCHARGE
--------------------------	----------------------------

MONITORING PERIOD

FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2008	5	1		2008	5	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45)				NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		Average (54-61)	Maximum	Units	Minimum (46-53)	Average (54-61)	Maximum	Units			
015 - Produced Water WET -	Sample Measurement	***	***	***	***	***	***	TUc	0	Quarterly	Grab
	Permit Requirement	***	***	***	***	1263	2425	TUc	***	Quarterly	Grab
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										
015 - Produced Water	Sample Measurement										
	Permit Requirement										

NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 Signature	Telephone	Date (YR/MO/DAY)
			907 776-2510	6/17/2008

COMMENTS & EXPLANATION OF ANY VIOLATIONS: 2nd quarter WET testing results shown. Tests completed April-08. **2nd Quarter Amonia sample taken 5/27/08 - Reported on this DMR